

## Star Measures 101: A Guide for OutcomesMTM Personal Pharmacists™

### What are Star ratings?

The Medicare Modernization Act of 2003 established Medicare Part D plans in 2006: Medicare Advantages Plans (MAPDs) and Prescription Drug Plans (PDPs).

CMS has established Star ratings to monitor the quality of these health plans

- Plans face various rewards and consequences based on their ratings: quality bonus payments, marketing advantages, potential loss of their CMS contract, etc.

### Significant Opportunity for Pharmacists!

Pharmacists can directly impact 5 Part D Patient Safety measures through MTM services:

Part D Measure	Description
<i>High risk medication</i>	% of patients taking medication considered to be high-risk in patients ≥65 years old
<i>Diabetes treatment</i>	% of patients with both diabetes and hypertension whose treatment includes a RAS antagonist (ACEI/ARB/DRI)
<i>Adherence for diabetes medications</i>	% of patients whose adherence rate for diabetes medications is ≥80%* <ul style="list-style-type: none"> <li>Classes: biguanides, DPP-IV inhibitors, sulfonylureas, TZDs, incretin mimetic agents (proposed), meglitinides (proposed)</li> <li>*Patients taking insulin are excluded from this measure</li> </ul>
<i>Adherence for HTN (RAS antagonists)</i>	% of patients whose adherence rate for RAS antagonists is ≥80%
<i>Adherence for cholesterol (statins)</i>	% of patients whose adherence rate for statins is ≥80%

### Prescriber Consultation Best Practices:

Measures involved: High risk medication and Diabetes treatment

<i>Assessing appropriateness of TIP</i>	Does patient already take it and pay cash? Does patient have a contraindication to therapy? <ul style="list-style-type: none"> <li>(e.g. renal dysfunction, previous adverse event)?</li> </ul>
<i>Leverage relationship with prescribers</i>	Offer to complete in-service with local clinic(s) Note prescriber preferences regarding RAS antagonists & HRMs
<i>Making the recommendation</i>	Keep it concise! Non-critical phrases: "as you know..." & "...if appropriate"

### Adherence Patient Consultation Best Practices:

Measures involved: adherence measures (diabetes, RAS antagonists, statins)

<i>Assessing appropriateness of TIP</i>	Is patient still taking medication?
<i>Initiating conversation with the patient</i>	Use the Drug Adherence Workup (DRAW) Tool Open-ended questions: <i>What is this treating... How are you taking...</i>
<i>Reinforcement with patient</i>	Review purpose of the medication Address knowledge deficits regarding medication
<i>Strategies to improve adherence</i>	Recommend the patient receives a 90-day supply, if applicable Encourage the patient enrolls in an auto-fill program, if available

### Additional Resources:

Beers Criteria	<a href="http://www.americangeriatrics.org/files/documents/beers/2012BeersCriteria_JAGS.pdf">http://www.americangeriatrics.org/files/documents/beers/2012BeersCriteria_JAGS.pdf</a>
PQA HRM List	<a href="http://pqaalliance.org/images/uploads/files/HRM%20Measure%202013website.pdf">http://pqaalliance.org/images/uploads/files/HRM%20Measure%202013website.pdf</a>
ADA Guidelines	<a href="http://care.diabetesjournals.org/content/36/Supplement_1/S11.full.pdf+html">http://care.diabetesjournals.org/content/36/Supplement_1/S11.full.pdf+html</a>

